



GLORY

PRODUCT CATALOGUE

Mining machinery-Excavator



Qingdao Ever Glory Machinery Co., Ltd

www.everglorymachinery.com

TEL : +86-18153282521

Email: market@everglorymachinery.com



GLORY

About GLORY



GLORY Machinery Group, located in Qingdao, specializes in the design, develop and production of construction and agricultural machinery. The products covers mining machinery, road machinery, agricultural machinery and so on.

With nearly 20 years of industry experience, GLORY machinery has been exported to South America, Europe, the Middle East, Southeast Asia, Africa and other more than 30 countries and regions.

GLORY has modern production workshops, advanced production lines, multi-functional laser cutting equipment, CNC bending machine, welding machine and other intelligent production equipments. GLORY has researched and manufactured more than 100 models of machinery, which also independently researches the axle by ourselves. GLORY could supply a variety of construction and agricultural implements to achieve one stop solutions, which could meet many conditions and improve the work efficiency.

In order to provide customers with immersive experience services, GLORY has branches in Singapore and Philippines to ensure timely and effective supports for our customers.

GLORY is committed to building the long-term and stable cooperation with customers and achieving the common development.



GLORY



ATTACHMENTS

Various attachments can be replaced



Can be adapted to different environmental needs, easy to cope with a variety of working conditions



bucket



Plain bucket



Sand bucket



Rake



Semi automatic
quick change



Grapple



Hydraulic
Thumb bucket



Ripper



Auger



Break hammer



Root topper



Steel grabbing
machine



Hedge trimmer



Grass trimmer




Mechanical
thumb clamp

Excavator GX08

Weight
800KG

Rated power (KW)
7kw


Bucket capacity
0.025m³



GX08 technical specifications

GX08	
Model	GX08
Weight	800kg
Overall dimension(L x W x H)	2430*720*1300 mm
Engine	KOOP 192F
Rated power	7KW
Digging bucket capacity	0.025m ³
Wheelbase	570mm
Track length	1140mm
Track width	150mm
Min.Ground clearance	80mm
Max. Digging depth	1200mm
Max. Vertical digging depth	1050mm
Max. Digging height	2350mm
Max. Dumping height	1600mm
Max. Digging radius on ground	2450mm
Min. Rotation radius	1100mm

KOOP 192 ENGINE 7KW~7.5KW





Excavator **GX10**




Weight
1000KG

Rated power (KW)
10.2kw

Bucket capacity
0.025m³

GX10 technical specifications

GX10	
Model	GX10
Weight	1000Kg
Overall dimension(L x W x H)	2775*930*2219 mm
Engine	Kubota D722
Rated power	10.2KW
Digging bucket capacity	0.025m ³ /120kg
Wheelbase	910mm
Track length	1230mm
Track width	180mm
Min.Ground dearance	132mm
Max. Digging depth	1750mm
Max. Vertical digging depth	1375mm
Max. Digging height	2610mm
Max. Dumping height	1850mm
Max. Digging radius on ground	2850mm
Min. Rotation radius	1330mm





GLORY

Excavator **GX12**

Weight
1200KG



Rated power (KW)
7kw

Bucket capacity
0.02m³



GX12 technical specifications

GX12	
Model	GX12
Weight	1200Kg
Overall dimension(L x W x H)	2775*930*2219 mm
Engine	KOOP
Rated power	7KW
Digging bucket capacity	0.02m ³
Wheelbase	910mm
Track length	1230mm
Track width	180mm
Min.Ground dearance	132mm
Max. Digging depth	1750mm
Max. Vertical digging depth	1375mm
Max. Digging height	2610mm
Max. Dumping height	1850mm
Max. Digging radius on ground	2850 mm
Min. Rotation radius	1330 mm



The hydraulic pipes all imported from Continental AG Germany Company .
Other hydraulic parts and the crawlers ,we cooperate with well-known domestic manufacturers.

Excavator

<http://www.everglorymachinery.com>

Excavator GX13

Weight
1300KG

Rated power (KW)
10.2kw


Bucket capacity
0.02m³



GX13 technical specifications

GX13

Model	GX13
Weight	1300kg
Overall dimension(L x W x H)	2325*1100*2270 mm
Engine	KOOP 192F
Rated power	10.2KW
Digging bucket capacity	0.02m ³
Wheelbase	920mm
Track length	1545mm
Track width	180mm
Min.Ground clearance	135mm
Max. Digging depth	1710mm
Max. Vertical digging depth	1500mm
Max. Digging height	2700mm
Max. Dumping height	1840mm
Max. Digging radius on ground	2910mm
Min. Rotation radius	1530mm





GLORY

Excavator

GX15

Weight

1500KG

Rated power (KW)

10.2kw

Bucket capacity

0.02m³



GX15 technical specifications

GX15

Model	GX15
Weight	1500kg
Overall dimension(L x W x H)	2300*930*2270 mm
Engine	KOOP
Rated power	10.2KW
Digging bucket capacity	0.02m ³
Wheelbase	800mm
Track length	1220mm
Track width	180mm
Min.Ground clearance	150mm
Max. Digging depth	1850mm
Max. Vertical digging depth	1750mm
Max. Digging height	2450mm
Max. Dumping height	1850mm
Max. Digging radius on ground	2920mm
Min. Rotation radius	1550mm

Tailless



Rubber track
Gear transmission, strong grip, Optional telescopic crawler



Dashboard



All with oil drain

All with oil drain pipe for travel motor and swing motor



Boom swing

(Optional function)



The customer's movements are coordinated and smooth in the driving work



Excavator

<http://www.everglorymachinery.com>



GLORY

Excavator

GX16

Weight

1350KG

Rated power (KW)

10.2kw

Bucket capacity



0.025m³



GX16 technical specifications

GX16

Model	GX16
Weight	1350kg
Overall dimension(L x W x H)	2450*940*2150mm
Engine	Kubota D722
Rated power	10.2KW
Digging bucket capacity	0.025m ³
Wheelbase	1300mm
Track length	1545mm
Track width	200mm
Min.Ground clearance	380mm
Max. Digging depth	1800mm
Max. Vertical digging depth	2230mm
Max. Digging height	2100mm
Max. Dumping height	2640mm
Max. Digging radius on ground	2350mm
Min. Rotation radius	1190mm



Excavator

<http://www.everglorymachinery.com>

Excavator GX18

Weight
1800KG




Rated power (KW)
14kw

Bucket capacity
0.04m³



GX18 technical specifications

GX18	
Model	GX18
Weight	1800kg
Overall dimension(L x W x H)	2250*1135*2200mm
Engine	Kubota D722
Rated power	10.2KW
Digging bucket capacity	0.04m ³
Wheelbase	920mm
Track length	1500mm
Track width	230mm
Min.Ground clearance	380mm
Max. Digging depth	1900mm
Max. Vertical digging depth	1800mm
Max. Digging height	2900mm
Max. Dumping height	2000mm
Max. Digging radius on ground	2500mm
Min. Rotation radius	1711mm



Excavator GX20

Weight
2000KG

Rated power (KW)
11.8kw

Bucket capacity
0.04m³

GX20 technical specifications

GX20

Model	GX20
Weight	2000kg
Overall dimension(L x W x H)	3337*1100*2325mm
Engine	Kubota D902
Rated power	11.8KW
Digging bucket capacity	0.04m ³
Wheelbase	920mm
Track length	1545mm
Track width	200mm
Min.Ground clearance	119mm
Max. Digging depth	2060mm
Max. Vertical digging depth	mm
Max. Digging height	2580mm
Max. Dumping height	1637mm
Max. Digging radius on ground	3130mm
Min. Rotation radius	1575mm


CAB VERSION AND CANOPY VERSION

two versions: cab version and canopy version




The roof version adopts high-strength seamless steel tube design, safe and reliable, with smooth lines.

The cab adopts one-piece steel structure design, safe and reliable structure, equipped with heating and cooling air-conditioning. In order to further improve the comfort, the space is increased to the maximum under the same level of cab space standards.



Inverted jib cylinder

Inverted design of the boom cylinder, Greatly increases the digging depth.



INTERCEPTOR VALVES

Excavator GX22

Weight
2172KG

Rated power (KW)
14.2kw




Bucket capacity
0.056m³



GX22 technical specifications

GX22

Model	GX22
Weight	2172kg
Overall dimension(L x W x H)	3850*990*2470mm
Engine	Kubota D1105
Rated power	14.2KW
Digging bucket capacity	0.056m ³
Wheelbase	1010mm
Track length	1500mm
Track width	230mm
Min.Ground clearance	150mm
Max. Digging depth	2370mm
Max. Vertical digging depth	1725mm
Max. Digging height	3500mm
Max. Dumping height	2560mm
Max. Digging radius on ground	3860mm
Min. Rotation radius	1720mm



Excavator GX25

Weight
2500KG

Rated power (KW)
14.2kw

Bucket capacity
0.06m³



GX25 technical specifications

GX25

Model	GX25
Weight	2500kg
Overall dimension(L x W x H)	3865*1050*2270mm
Engine	Kubota D1105
Rated power	14.2KW
Digging bucket capacity	0.06m ³
Wheelbase	1230mm
Track length	1858mm
Track width	250mm
Min.Ground clearance	210mm
Max. Digging depth	2045mm
Max. Vertical digging depth	1725mm
Max. Digging height	3365mm
Max. Dumping height	2610mm
Max. Digging radius on ground	3860mm
Min. Rotation radius	1955mm

Hydraulic three-way shut-off valve

Standard hydraulic three-way shut-off valve, both oil lines can be switched back and forth with a spooler to control the oil line when the spooler is not removed.



Driving Functions

Optional key power-off function, turn off the vehicle key off the engine, the power supply will automatically power-off function, to avoid battery power consumption leads to the next start when the engine can not start.



Fully Hydraulic Pilot

Fully Hydraulic pilot operation includes: pilot handles on both sides, push shovel, spreading operation, breaker hammer and side swing function.





GLORY

Excavator
GX30

Weight
3000KG



Rated power (KW)
14.2kw

Bucket capacity
0.1m³



GX30 technical specifications

GX30	
Model	GX30
Weight	3000kg
Overall dimension(L x W x H)	4170*1300*2280mm
Engine	Kubota
Rated power	14.2KW
Digging bucket capacity	0.1m ³
Wheelbase	1230mm
Track length	2000mm
Track width	230mm
Min.Ground dearance	230mm
Max. Digging depth	2450mm
Max. Vertical digging depth	2160mm
Max. Digging height	3700mm
Max. Dumping height	2290mm
Max. Digging radius on ground	4370mm
Min. Rotation radius	2020mm



Excavator

<http://www.everglorymachinery.com>



Excavator **GX35**

Weight
3600KG

Rated power (KW)
34kw

Bucket capacity
0.26m³


GX35 technical specifications

GX35

Model	GX35
Weight	3600kg
Overall dimension(L x W x H)	4400*1500*2200mm
Engine	Xinchai 490
Rated power	34KW
Digging bucket capacity	0.26m ³
Wheelbase	2000mm
Track length	2175mm
Track width	300mm
Min.Ground clearance	319mm
Max. Digging depth	2545mm
Max. Vertical digging depth	2140mm
Max. Digging height	4450mm
Max. Dumping height	3050mm
Max. Digging radius on ground	4730mm
Min. Rotation radius	2634mm

CLOSED CABIN

The cab adopts an integrated steel structure design, which is safe and reliable. It is equipped with air conditioning.



In order to further improve the comfort, the space is increased to the maximum under the space standard of the cab of the same model.



Kubota 1703 engine 18.5KW/2200rpm



More details



Excavator GX40

Weight
3810KG

Rated power (KW)
18.5kw

Bucket capacity
0.12m³

GX40 technical specifications



GX40

Model	GX40
Weight	3810kg
Overall dimension(L x W x H)	4915*1720*2525mm
Engine	Kubota D1703
Rated power	18.5KW
Digging bucket capacity	0.12m ³
Wheelbase	1670mm
Track length	2154mm
Track width	300mm
Min.Ground clearance	295mm
Max. Digging depth	3208mm
Max. Vertical digging depth	2957mm
Max. Digging height	4800mm
Max. Dumping height	3406mm
Max. Digging radius on ground	5359mm
Min. Rotation radius	2530mm

Colors can be customized



If you need more colors, please leave a message





GLORY



Qingdao Ever Glory Machinery Co., Ltd

Address:Huangdao District, Qingdao City, Shandong Province

TEL:+86-18153282521

Email:market@everalormachinery.com

Website:www.everglorymachinery.com